HEATED CAR SEAT COVER

Instruction manual

PLEASE READ THE MANUAL BEFORE YOUR FIRST USE. KEEP THIS MANUAL SAFE FOR FUTURE REFERENCE!



SAFETY INSTRUCTIONS

- 1. Use the heated seat cover only as dscribed in the instruction manual.
- 2. DO NOT expose to rain, moisture, snow, direct sunlight, etc. in order to avoid malfunctions.
- 3. NEVER leave unattended when connected to the cigarette lighter socket.
- 4. DO NOT use if your body is wet or if you have been sweated.
- 5. . DO NOT use if it is folded, wrinkled, or wet.
- 6. Immediately wipe off any liquid spilled on the heated seat cover with a dry cloth. Wait until it has dried completely before using it.
- 7. **DO NOT** pierce the seat cover with pins, needles or any sharp or pointed object as this may damage the heating element.
- 8. **DO NOT** place hard or heavy objects.
- 9. Make sure the cable is not compressed by the heated seat cover or other heavy objects.
- 10. DO NOT wrap the cable around the heated seat cover.
- 11. Disconnect the cable from the cigarette lighter socket after use, before cleaning, or if the seat cover does not work properly.
- 12. DO NOT use when the ambient temperature exceeds 40° C.
- 13. **DO NOT** use if it is very damaged or certain parts are exposed or are torn. Use in these specific cases could cause injury from electric shock.
- 14. **DO NOT** repair, disassemble and modify the heated seat cover and its components. Please contact a qualified professional or an authorized workshop for repair.
- 15. This device is not intended for use by people (including children) whose physical, sensory or mental capacities are reduced, or people without experience or knowledge, unless they have benefited, through a person responsible for their safety, supervision or prior instructions concerning the use of the device.




16. Children should be supervised to make sure that they do not play with the device.

SANITARY WARNINGS

The heated seat cover is not a device designed for medical use. Do not use it in addition to or as a replacement for medical care!

It is recommended to seek the advice of your doctor before use if you are in one of the following situations:

- If you are pregnant,
- If you wear an electronic implant (pacemaker or defibrillator), artificial joints or electronic implants,
- If you suffer from the following diseases or ailments: heart problems, epilepsy, muscle or joint problems, diabetes (especially if insulin is taken), vascular problems, circulatory disorders, varicose veins, open wounds, bruises, cracked skin and inflammation of the veins.
- If you have unexplained pain, if you are undergoing medical treatment, if you use medical devices, if you have or have had a serious illness not indicated in this manual and in the event of conditions requiring special precautions.
- Passengers in the vehicle must be able to sense if the seat cover becomes too hot and to turn it off, especially during prolonged use.
- The driver must be very attentive and exercise extreme caution if users, including himself, are in the categories indicated below:
 - 1. People on drug treatment which can entail drowsiness (sleeping pills, cold medicines, etc.),
 - 2. People who are drunk or under the influence of psychotropic substances,
 - 3. Elderly or disabled, convalescent,
 - 4. Sick people.
- For users who are insensitive to heat or have sensitive skin, it is recommended to use low intensity (LO) and to avoid prolonged use.
- In case of discomfort or overheating during use, stop the heated seat cover. Consult your doctor if these pains persist.
- DO NOT use it within 30 minutes before or after a meal.
- NEVER fall asleep when it is heated during operation. If you have the feeling that you will fall asleep, please turn it off.



INSTALLING THE SEAT COVER

IMPORTANT : The seat cover must be installed as shown below. It must be securely attached to the car seat.



- 1. Place the seat cover on the car seat. Put the upper strips over the top of the seat back and put the lower strips through the space between the back and the seat.
- **2.** Clip them as illustrated.
- 3. Put the lower straps under the car seat. Tie them.
- 4. Adjust the top straps, if necessary, to make sure the seat cover stays in place while driving.

BEFORE STARTING THE APPLIANCE

- Check that the control box is (in OFF position) before connecting the cable to the cigarette lighter socket.
- Before each use, carefully check the condition of the heated seat cover and the cable.

OPERATION

- DO NOT cover when it is in use or use it under blankets or pillows.
- Using the seat cover when the engine is not running may cause the vehicle battery to discharge.
- To stop the seat cover, set the switch on the control box to the OFF position or switch off the ignition.
- The seat cover is equipped with a device which automatically stops it to prevent overheating. If it stops, allow to cool and use again 30-45 minutes later.
- **1.** Sit comfortably on the seat cover.
- 2. Connect the cable to the cigarette lighter socket.
- 3. On the control box, select the desired intensity: "LO" (low) or "HI" (high).



It is recommended to use low intensity (LO) for a few minutes at the start. If this test does not generate discomfort, you can set it to high intensity (HI).

Maximum duration of use: 30-45 minutes depending on your feelings.



ENTRETIEN ET STOCKAGE

Entretien :

- Avant de nettoyer le couvre-siège, vérifiez qu'il est bien éteint (position OFF), que le câble allume-cigare est bien débranché et que le couvre-siège a refroidi.
- Nettoyez les taches localement à l'aide d'une éponge légèrement mouillée. Puis laissez sécher à plat, à l'ombre.
- N'utilisez pas de détergents abrasifs, de dissolvants ou d'alcool.
- N'utilisez Le couvre-siège que lorsqu'il est entièrement sec.
- DO NOT immerse the seat cover or the cable in water or other liquids.
- DO NOT place directly next to an electric heater or other heating source to dry it.

Maintenance :

- Before cleaning the seat cover, check that it is completely off (OFF position), that the cigarette lighter cable is properly disconnected and that the seat cover has cooled down.
- Clean spots locally using a slightly damp sponge. Then let it dry flat in the shade.
- Do not use abrasive detergents, solvents or alcohol.
- Use the seat cover only when it is completely dry.

Storage:

- Store it in its original packaging and keep it in a clean, dry place.
- Do not store it in places exposed to direct sunlight, humidity or high temperatures.



WARNING: You should not dispose of this device with your household waste. A selective collection system for this type of product is implemented by your local authorities. Please contact your local authorities to find out how and where collection takes place. These restrictions apply because electrical and electronic devices contain dangerous substances that have harmful effects on the environment or on human health and must be recycled.

This symbol indicates that electrical and electronic devices are collected selectively. The symbol shows a waste container crossed out with an X symbol.

If the power cable is damaged, it must be replaced by the manufacturer, its after-sales service, or a person qualified in this area in order to avoid accidents.

Imported by EML/ Trading name: Prodis 1 rue de Rome 93110 Rosny-sous-Bois-France/ Made in PRC

Marketed by EUROTOPS VERSAND GMBH D-40764 LANGENFELD



F F

